PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5:
A61K 33/04

(11) International Publication Number: WO 92/20352

(43) International Publication Date: 26 November 1992 (26.11.92)

(21) International Application Number: PCT/BG91/00001

(22) International Filing Date: 19 June 1991 (19.06.91)

(30) Priority data: 94408

13 May 1991 (13.05.91) B

(71)(72) Applicants and Inventors: BUDOROV, Mihail, M. [BG/BG]; Kolarovska 1, bl. 16, vh.B., Sofia 1113 (BG). SHINDAROV, Ljubomir, M. [BG/BG]; Jordan, Jovhov bl. 103, vh.A., Sofia 1408 (BG). RUSEV, Veselin, A. [BG/BG]; Kiril i Metoby bl.B, ap. 4, Razgrad 7200 (BG). DONCHEV, Hristo, D. [BG/BG]; Georgi Dimitrov 34, Razgrad 7200 (BG). KLECHEROV, Krastju, I. [BG/BG]; Zheravna 22, Plovdiv 4000 (BG). STOJCHEVA, Dushka, S. [BG/BG]; Pencho Slavejkov 13 A, Sofia 1606 (BG).

(74) Agent: INSTITUTE OF INVENTIONS AND RATION-ALIZATIONS; Boul. G.A. Nasser 52b, Sofia 1156 (BG).

(81) Designated States: AT (European patent), AU, BE (European patent), BF (OAPI patent), BJ (OAPI patent), BR, CA, CF (OAPI patent), CG (OAPI patent), CH (European patent), CI (OAPI patent), CM (OAPI patent), DE (European patent), DK (European patent), ES (European patent), FI, FR (European patent), GA (OAPI patent), GB (European patent), GN (OAPI patent), GR (European patent), HU, IT (European patent), JP, LU (European patent), ML (OAPI patent), MR (OAPI patent), NL (European patent), PL, RO, SE (European patent), SN (OAPI patent), SU, TD (OAPI patent), TG (OAPI patent), US.

Published

With international search report.

(54) Title: MEANS FOR TREATMENT OF DISEASES CAUSED BY MICROORGANISMS WHICH IS A SOLUTION OF SODIUM THIOSULPHATE AND A WEAK ACID AND METHOD OF PREPARING IT

(57) Abstract

The means for treatment of diseases caused by microorganisms represents a mixture of aqueous solutions of sodium thiosulphate and of weak acids in particular ascorbinic. The method for preparing and use of this means for treatment of diseases caused by microorganisms comprises the mixing of its components under sterile conditions and at ambient temperature whereby in case of intravenal administering, it is effected as preferred embodiment in a syringe by consecutive aspiration of the components and for local administering in a suitable vessel. The means represents a mixtures of two components whereby in the organism are introduced beside the non-reacted excess of sodium thiosulphate and the obtained by the mixing sodium salt of the acid, sulphur and NaHSO₃. Their preparation and insertion in the organism provides for a rational and original way of introducing these substances as well as a complete interaction with internal processes in the organism in order to achieve a vigourous therapeutic effect. The tests which have been performed show that the means has a wide range of action against disease causing microorganisms while being practically harmless.

BEST AVAILABLE COPY

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

ΑT	Austria	FI	l·inland	ML.	Mali
AU	Australia	FR	France	MN	Mongolia
BB	Barbados	GA	Gabon	MR	Mauritania
BE	Belgium	GB	United Kingdom	MW	Malawi
BF	Burking Faso	GN	Guinea	NL.	Netherlands
BG	Bulgaria	GR	Greece	NO	Norway
BJ	Benin	HU	Hungary	₽L	Poland
BR	Brazil	IE	Ireland	RO	Romania
	Canada	iΤ	Italy	RU	Russian Federation
CA	Central African Republic	JP	Japan	SD	Sudan
CF		KP	Democratic People's Republic	SE	Sweden
CG	Congo	12.	of Korea	SN	Senegal
CH	Switzerland	KR	Republic of Korea	SU	Soviet Union
CI	Côte d'Ivoire	LI	Liechtenstein	TD	Chad
CM	Cameroon			TG	Togo
CS.	(Zechoslovakia	LK	Sri Lanka	นร	United States of America
DΕ	Germany	เบ	Luxembourg	Ų3	Oilling Current
DK	Denmark	MC	Monaco		
ES	Spain	MG	Madagascar		

5

Means for treatment of discases caused by microorganisms which is a solution of sodium thiosulphate and a weak acid and method of preparing it

The invention refers to a means for treatment of diseases caused by microorganisms and a method for its preparation and use. It can be applied for treatment of persons and animals in diseases caused by microorganisms(bacteria, viruses).

At present for treatment of these diseases are used antibiotics, sulphamides, organic compounds of arsenic, bismuth etc;
They all exert a positive impact for favourable running of the healing process but their efficiency is some times unsufficient and to some extent they may have a harmful effect.

On the other side there are known also the chemical compounds
sodium thiosulphate used as antidote in some kinds of intoxications as well as ascorbinic acid which is needed by the organisms and used for treatment of different morbid affections.
However both compounds have an unsufficient efficiency in the
independent administering for treatment of diseases caused by
microorganisms.

The object of the invention is to provide for a means for treating of diseases caused by microorganisms in human beings and animals and a method for its preparation and use whereby the means ought to be practically harmless in observing curative doses and they should have a high healing effect.

The means with which is attained this object in treating diseases caused by microorganisms represents a mixture of aqueous solutions of sodium thiosulphate and of weak acids in particular organic acids which are harmless for organisms and in reaction with sodium thiosulphate they form sodium salt of the acid, sulphur and NaHSO₂. The amount of sodium thiosul-

phate in the mixture with regard to the amount of weak acid is equal or more than the amount of sodium thiosulphate according to the respective stoichometric equation that is sufficient for complete reacting between both components. When the quantity of sodium thiosulphate is considerably more than the needed for the reaction it is established a

When the quantity of sodium thiosulphate is considerably more than the needed for the reaction it is established a significant excess of it in the obtained mixture.

According to a prefered embodiment in the means for treat10 ment of diseases caused by microorganisms is used as a weak acid ascorbinic acid $C_6H_8O_6$, whereby the ratio of amount of sodium thiosulphate $Na_2S_2O_3.5H_2O$ to the amount of ascorbinic acid $C_6H_8O_6$ is not less than 1:0.7. Sodium Thiosulphate in the mixture can be with or without 5 molecules H_2O .
15 A wide range of therapeutic effect is shown by the means in which the ratio of the amount of sodium thiosulphate $Na_2S_2O_3.5H_2O$ to the amount of ascorbinic acid $C_6H_8O_6$ is 4:1.

The method for preparation and use of the means for treat20 ment of diseases caused by microorganisms consists in that
its components - aqueous solutions of sodium thiosulphate
and of weak acids are mixed at ambient temperature and sterile conditions until are obtained the sodium salt of the
acid, sulphur and NaHSO₃ immediately before administering
25 it externally or intravenally.

Usually the mixing of both components is effected in a syringe by consecutive inserting of aqueous solutions of sodium thiosulphate and of weak acids or mixing of solutions of them before the needle in case where are used systems. The basic requirement for injecting immediately after obtaining the mixture should be observed strictly since if the obtained mixture is retained a longer time sulphur particles are increasing which results in a decrease of efficiency and eventually it can conduct to unwanted results. In order to avoid it it is purposeful to use technical means for fixing

WO 92/20352 PCT/BG91/00001

the period of mixing and to employ syringes with filters.

In the multiple experiments following the rule according to the proposed method the mixture to be inserted in the blood without retaining immediately after its preparing there have not been observed any harmful after-effects so that the means is practically innocuous in the administered therapeutic dose.

According to the method in the reaction proceeding between

10 the aqueous solutions of sodium thiosulphate and weak acids
in particular ascorbinic acid which is preferred and is satisfying all requirements is obtained sodium salt of ascorbinic
acid, sulphur and NaHSO₃. In the blood besides these three
substances are entering and considerable amounts of sodium

15 thiosulphate since it is preferred its quantity to be in excess of the required for the complete running of the reaction
in mixing both components.

The experiments show also that a mixture of four parts 10%20 aqueous solution of sodium thiosulphate and one part 10%aqueous solution of ascorbining acid has a very high therapeutic effect and a wide range of action.

The means for treatment of diseases caused by microorganisms
and the method for its preparation and use achieve in a rational and original way the problem of introducing sodium salt
of ascorbinic acid, colloidic sulphur and sodium bisulphite
as well of sodium thiosulphate in excess into the blood with
therapeutic purpose without bringing harmful after-effects.

30

The proposed means and method for its preparation and use are elucidated more in detail by following examples:

A. Test for harmfulness. A mixture of four parts of 10%-aq.

solution of sodium thiosulphate and one part of 10%- aq. solution of ascorbinic acid prepared at ambient temperature and sterile conditions is used immediately after mixing usually

5

within a three minute period.

- 1. Tests for determining of LD-50. By means of multiple serial experiments of mice with intravenal insertion of the preparation it has been determined that the dose LD-50 is between 1.28 and 1.76 g per kg of alive weight.
- 2. Tests for sharp tolerance of rabbits. In intravenal administering of a dose of 200 mg per 1 kg alive weight it has been established that there are no damages.
- Tests with white rats for determining the influence of the preparation on blood pressure, cardiac frequence, frequence of breathing in intravenal administering of three different doses: 50 mg, 100 mg and 200 mg per kg alive weight.
 Only in the case of inserting 200 mg for kg alive weight it was observed a slight acceleration of breathing during half to one minute only in the moment of injecting being transitional. With the other doses there were no changes.
- 20 4. Tests with dogs, race "Beagle" with weight 10 to 15 kg.

 Each day were administered at once doses of 50 mg and 100 mg
 per kg alive weight during 30 days. Testing was carried out
 on the 7th day and on the 48th hour of the 30th day after administering. Following results were obtained: haematological

 25 data no deviations from standard blood analysis and blood
 curdling. Biochemical data: there are no changes in alkaline
 equilibrium and in results from proteinic, carbohydratic
 and lipidic exchange and in electrolyte contents(sodium, potassium, phosphor, fluorides). There are also no data for
 modifications in liver and kidney function.
 - B. Test for treatment of diseases by local administering.

 A mixture is used consisting of four parts of 10%-aqueous solution of sodium thiosulphate and one part of 10%-aq. solution of ascorbinic acid(in the second case with citric acid) which was prepared in mixing at ambient temperature.

and under sterile conditions. It is administered immediately in the period from 3 to 5 min. The following experiments have been carried out directly after mixing:

- 1. For keratite from human herpes virus type I on rabbits with clearly expressed viral damages. With drops in the eyes was achieved a complete healing.
 - 2. Treatment of chronic endometrites of cows with an aqueous solution of $Na_2S_2O_3$.5 H_2O and citric acid. Complete healing
 - 3. Treatment of chlamidiose of human beings all healed.
- 10 4. Treatment of herpetic keratite and zoster ophtalmica in human beings. Treatment of eye damages all healed.
- C. Tests for treatment by intravenal administering. Of great practical and theoretical interest are the tests carried out by intravenal administering of a mixture comprising four parts of 10% aqueous solution of sodium thiosulphate and one part of 10% aqueous solution of ascorbinic acid. Mixing is performed at ambient temperature and under sterile conditions and it is administered immediately in the interval of 30 to 40 s.

 20 The therapeutic dose used is of 40 mg per kg alive weight while the sodium thiosulphate is 32 mg and ascorbinic acid-8 mg. Tests have been performed immediately after mixing. Data show
- Curatica is very favourable.

 25 DF >30 Following tests were carried out:
 - 1. Tests with rabbits, infected by beef herpes virus type I. All treated rabbits have been healed.

that the chemiotherapeutic index -Dosis tolerantia to Dosis

- 2. Treatment of calves suffering from gastroenterite(coli-30 bacteriose) with a mixed infection. 83% habe been healed. It is stated that the died calves were treated too late.
 - 3. Treatment of rams suffering from Brucella ov. by threeand five-time injecting. Complete healing has been achieved.
- 4. Treatment of mice malaria. After one to two-time treat35 ment it is observed a considerable prologation of mice life
 with evident decrease in index of erythrocytic parasitizing.
 The experiment has been discontinued.

6. Treatment of sick persons suffering from AIDS. and carriers of virus HIV. Good clinical results have been attained as well as temporary disappearing of HIV from the blood. However the therapeutic treatments have not yet been terminated and no definite results are available at present.

CLAIMS

1. Means for treatment of diseases caused by microorganisms, characterized in that it represents a mixture of aqueous solutions of sodium thiosulphate and of weak acids in particular organic acids which during the process of reaction with sodium thiosulphate are forming sodium salt of the acid, sulphur and NaHSO₃ whereby the amount of sodium thiosulphate with respect to the amount of weak acids is equal or larger than the amount determined according to the respective stochiometric equation.

PCT/BG91/00001

2. Means for treatment of diseases caused by microorganisms according to claim 1, characterized in that as weak acid is used ascorbinic acid $C_6H_8O_6$ whereby the ratio of amount of sodium thiosulphate $Na_2S_2O_3$;5 H_2O to amount of ascorbinic acid $C_6H_8O_6$ is not less than 1:0.7.

- 3. Means for treatment of diseases caused by microorganisms according to claims 1 and 2, characterized in that it re20 presents a mixture consisting of four parts of 10%-aqueous solution of sodium thiosulphate Na₂S₂O₃. 5 H₂O and one part of 10%- aqueous solution of ascorbinic acid C₆H₈O₆.
- 4. Method for preparing and use of this means for treatment
 of diseases caused by microorganisms according to claims 1,
 2, 3, characterized in that the aqueous solutions of sodium
 thiosulphate and of the weak acids are mixed until are obtained the sodium salt of the acids, sulphur and NaHSO₃ at ambient temperature and under sterile conditions immediately
 before administering the mixture externally or intravenally.

INTERNATIONAL SEARCH REPORT

International Application No PCT/BG 91/00001

			6		
		N OF SUBJECT MATTER (if several classi		 	
	A 61 K	tional Patent Classification (IPC) or to both t 33/04	National Classification and IPC		
II. FIELD	S SEARCH			· 	
		Minimum Docume	entation Searched 7		
Classificat	ion System		Classification Symbols		
IPC5		A 61 K			
			r than Minimum Documentation is are included in Fields Searched ⁸		
III DOG!	MENTS OF	DISIDERED TO BE RELEVANTS		····	
				la	
Category *	† — · · · · · · · · · · · · · · · · · ·	on of Document,11 with Indication, where ap		Relevant to Claim No.12	
X	Index Ishimo effect	Information Services, Fi 81-91, Dialog accession n to T: "Antimycotic agent or strong smell contg. t id", DE 3629385, A, 87030	o. 007066043, without irritant hiophosphate,alum	1-4	
		•			
х	Index Kaza V treat acid i	Information Services, Fi 81-91, Dialog accession n askhnil veter: "Salt solu calf; contain supplementa ncrease therapeutic effic 6448, A, 870223, 8744 (Ba	o. 007315007, tion veterinary ry salt ascorbic iency",	1-4	
X	2	4474759 (VOJISLAV PETROV October 1984, see column ne 46		1-4	
]				
•	•	es of cited documents: 10	"T" later document published after or priority date and not in confi	the international filing date ict with the application but	
.E. egu	iler docume	ing the general state of the art which is not e of particular relevance nt but published on or after the international	cited to understand the principi invention	e or theory underlying the	
"X" document of particular relevance, the claimed invention cannot be considered novel or cannot be considered to involve an inventive step "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another.					
cita	tion or othe	o establish the publication date of another rapecial reason (as apecified) ring to an oral disclosure, use, exhibition or	"Y" document of particular relevant cannot be considered to involve document is combined with one	e, the claimed invention an inventive step when the or more other such docu-	
oth	er means	shed prior to the international filing data buriority data claimed	ments, such combination being in the art.	obvious to a person skilled	
IV. CERTI		riority date cialmed	- corpulate manner of the same	P-1011 1411117	
		pletion of the International Search	Date of Mailing of this International S	earch Report	
13th De	ecember	1991	2 Z. 01. 92		
Internation	el Searching	Authority	Signature of Authorized Officer		
	EUROPI	EAN PATENT OFFICE	Moribia	Nuria TORIBIO	

Form PCT/ISA/210 (second sheet) (January 1985)

FURTHER INFORMATION CONTINUED FROM THE SECOND SHEET	
FORTILL III OLIMANIO	
V. X OBSERVATIONS WHERE CERTAIN CLAIMS WERE FOUND UNSEARCHABLE) s - the following magnet
This international search report has not been established in respect of certain claims under Article 17(2) (s) lot the longwing tessons:
Claim numbers because they relate to subject matter not required to be searched by this	othority, harriery.
(partly) See PCT Rule 39.1(iv): Methods for treatment of	the human
or animal body by surgery or therapy, as well as	diagnos-
tic methods.	·
2. Claim numbers, because they relate to parts of the international application that do not con requirements to such an extent that no meaningful international search can be carried out, specific	ally:
Lednitations on seem on over the man of	
<u>.</u>	•
Claim numbers because they are dependent claims and are not drafted in accordance with	the second and third sen-
3. Claim numbers because they are dependent claims and are not drafted in accordance when tences of PCT Rule 6.4(a).	
VI. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING 2	
This International Searching Authority (ound multiple inventions in this international application as follows:	ows:
This international Searching Additionly today international searching additional searching ad	
·	
1. As all required additional search fees were timely paid by the applicant, this international search claims of the international application.	Lebour covers sir sesiminar
y	ational search report covers
2. As only some of the required additional search fees were timely paid by the applicant, this intern only those claims of the international application for which fees were paid, specifically claims:	
the specific consequently, this internation	mal search report is restrict-
3. No required additional search fees were timely paid by the applicant. Consequently, this internation of the invention first mentioned in the the claims. It is covered by claim numbers:	
in the second be considered without effort justifying an additional fee, the internal	ional Searching Authority
4. As all searchable claims could be searched without effort justifying an additional fee, the internal did not invite payment of any additional fee.	
Remark on Protest	
The additional search fees were accompanied by applicant's protest.	
No protest accompanied the payment of additional seach fees.	

. . .

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.PCT/BG 91/00001

A

49333

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 31/10/91. The European Patent office is in no way liable for theseparticulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
US-A- 4474759	02/10/84	US-A-	4469678	04/09/84
DE-A1- 2445679	27/03/75	FR-A-B- US-A-	2269960 4148885	05/12/75 10/04/79
JS-A- 4929378	29/05/90	AU-B- AU-D- DE-A- FR-A- JP-A-	602150 7494287 3721545 2600887 63146811	04/10/90 07/01/88 07/01/88 08/01/88 18/06/88

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.